

C6ORF150 antibody

Cat. No. GTX02874

宿主	Rabbit
克隆	Polyclonal
同种型	IgG
实验应用	WB, ICC/IF, IHC-P
种属反应	Human, Mouse, Rat

引用文献 (2)

实验应用

应用说明

*最佳稀释倍数与浓度应由研究人员确认

Suggested dilution	Recommended dilution
WB	1:500 - 1:2000
ICC/IF	Assay dependent
IHC-P	1:50 - 1:200

以下为常规应用缩写的中文注解

WB: 免疫印迹

ICC/IF: 细胞染色

IHC-P: 石蜡切片

IHC-Fr: 冰冻切片

属性


形式	Liquid
存储溶液	PBS, 50% Glycerol
保存剂	0.02% Sodium azide
存放说明	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
浓度	Batch dependent (Please refer to the vial label for the specific concentration.)
偶联	Unconjugated
注意事项	仅供实验室使用。不适用于人类或动物的任何临床, 治疗或诊断用途。不适合动物或人类食用。



For full product information, images and publications, please visit our [website](#).

Date 2025 / 05 / 07 Page 1 of 2

產品圖片




GTX02874 IHC-P Image

IHC-P analysis of Human colon carcinoma tissue using GTX02874 C6ORF150 antibody.

Antigen retrieval : high pressure antigen retrieval with 10 mM citrate buffer pH 6.

Dilution : 1:50




GTX02874 ICC/IF Image

ICC/IF analysis of PC-12 cells using GTX02874 C6ORF150 antibody.

Orange : Primary antibody

Blue : DAPI

Dilution : 1:50



GTX02874 ICC/IF Image

ICC/IF analysis of NIH/3T cells using GTX02874 C6ORF150 antibody.

Orange : Primary antibody

Blue : DAPI

Dilution : 1:50



For full product information, images and publications, please visit our [website](#).