

## Melan A antibody [MSVA-901M+] HistoMAX™

Cat. No. GTX04384

宿主	Mouse
克隆	Monoclonal
同种型	IgG1
实验应用	IHC-P
种属反应	Human

## 产品说明

This antibody was validated on 76 different Normal Tissues by IHC-P.

## 摘要

[Go to Normal Tissue Gallery](#)[Go to Cancer Tissue Gallery](#)

## 实验应用

## 应用说明

\*最佳稀释倍数与浓度应由研究人员确认

Suggested dilution	Recommended dilution
IHC-P	1:50-1:100

**Note : Manual staining : Heat-induced antigen retrieval for 5 minutes in an autoclave at 121°C in pH 7.8 Tris-EDTA-based Target Retrieval Solution buffer. Based on testing result, pH 9.0 showed a strongest staining pattern. However, pH 7.8 results in only a slight reduction of the staining intensity as compared to pH 9.0. Therefore, the pH 7.8 was an optimal for manual staining because of the better tissue preservation at pH 7.8 than at pH 9.0.**

**This antibody has been validated by Autostainer including Agilent/Dako - Autostainer Link 48, Bond RX-Lecia, and Roche-Ventana Discovery ULTRA. The detailed steps by Autostainer please refer to the [protocol](#).**

以下为常规应用缩写的中文注解

WB: 免疫印迹

ICC/IF: 细胞染色

IHC-P: 石蜡切片

IHC-Fr: 冰冻切片

## 属性

形式	Liquid
存储溶液	PBS, 0.05% BSA (Please contact us for PBS only format)
保存剂	0.05% sodium azide
存放说明	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
浓度	0.2 mg/ml (Please refer to the vial label for the specific concentration.)




For full product information, images and publications, please visit our [website](#).

Date 2025 / 06 / 12 Page 1 of 2

偶联 Unconjugated

注意事项 仅供实验室使用。不适用于人类或动物的任何临床，治疗或诊断用途。不适合动物或人类食用。


#### 產品图片



#### GTx04384 IHC-P Image

IHC-P analysis of human malignant melanoma from skin tissue using GTx04384 Melan A antibody [MSVA-901M+] HistoMAX™.


Malignant melanoma with strong Melan A positivity in all tumor cells.



#### GTx04384 IHC-P Image

IHC-P analysis of human clear cell renal cell carcinoma (ccRCC) tissue using GTx04384 Melan A antibody [MSVA-901M+] HistoMAX™.

Clear cell renal cell carcinoma showing moderate to strong Melan A immunostaining of tumor cells.



#### GTx04384 IHC-P Image

IHC-P analysis of human adrenocortical adenoma tissue using GTx04384 Melan A antibody [MSVA-901M+] HistoMAX™.

Adrenocortical adenoma showing diffuse strong Melan A positivity.



For full product information, images and publications, please visit our [website](#).