

ST6GAL1 antibody [N2C3]

Cat. No. GTX104018

宿主	Rabbit
克隆	Polyclonal
同种型	IgG
实验应用	WB, IHC-P
种属反应	Human

引用文献 (1)

实验应用

应用说明

*最佳稀释倍数与浓度应由研究人员确认

Suggested dilution	Recommended dilution
WB	1:500-1:3000
IHC-P	1:100-1:1000

以下为常规应用缩写的中文注解

WB: 免疫印迹

ICC/IF: 细胞染色

IHC-P: 石蜡切片

IHC-Fr: 冰冻切片


属性

形式	Liquid
存储溶液	0.1M Tris, 0.1M Glycine, 10% Glycerol
保存剂	0.01% Thimerosal
存放说明	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
浓度	0.44 mg/ml (Please refer to the vial label for the specific concentration.)
偶联	Unconjugated
RRID	AB_1952026
注意事项	仅供实验室使用。不适用于人类或动物的任何临床, 治疗或诊断用途。不适合动物或人类食用。

For full product information, images and publications, please visit our [website](#).


Date 2025 / 06 / 05 Page 1 of 2

產品圖片



GTX104018 WB Image

Various whole cell extracts (30 µg) were separated by 10% SDS-PAGE, and the membrane was blotted with CD75 antibody [N2C3] (GTX104018) diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody. Corresponding RNA expression data for the same cell lines are based on Human Protein Atlas program.




GTX104018 IHC-P Image

CD75 antibody [N2C3] detects CD75 protein at Golgi apparatus in human hepatocellular carcinoma by immunohistochemical analysis.

Sample: Paraffin-embedded human hepatocellular carcinoma.

CD75 antibody [N2C3] (GTX104018) diluted at 1:500.

Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min



GTX104018 WB Image


Western Blot analysis of ST6GAL1 expression in transfected 293T cell line by ST6GAL1 polyclonal antibody.

A: Non-transfected lysate.

B: ST6GAL1 transfected lysate.

12% SDS PAGE

GTX104018 diluted at 1:500



GTX104018 IHC-P Image

Immunohistochemical analysis of paraffin-embedded OVCA xenograft, using CD75(GTX104018) antibody at 1:500 dilution.

Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min



For full product information, images and publications, please visit our [website](http://www.genetex.com).