

# PAD4 antibody

# Cat. No. GTX113945

宿主	Rabbit
克隆	Polyclonal
同种型	IgG
实验应 <b>用</b>	WB, IHC-P, IHC-Fr, IHC-Wm
种属反应	Human, Mouse

引用文献 (7)

# 实验应用

## 应用说明

\*最佳稀释倍数与浓度应由研究人员确认

Suggested dilution	Recommended dilution
WB	1:500-1:10000
IHC-P	1:100-1:1000
IHC-Fr	Assay dependent
IHC-Wm	Assay dependent

以下为常规应用缩写的中文注解

WB: 免疫印迹 ICC/IF: 细胞染色 IHC-P: 石蜡切片 IHC-Fr: 冰冻切片


属性	
形式	Liquid
存储溶液	PBS, 20% Glycerol
保存剂	0.025% ProClin 300
存放说明	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
浓度	2.85 mg/ml (Please refer to the vial label for the specific concentration.)
偶联	Unconjugated
RRID	AB_2037599
注意事项	仅 <b>供</b> 实验 <b>室使用。不适用于人类或动物的任何临床,治疗或诊断用途。不适合动物或人类食用。</b>



For full product information, images and publications, please visit our <u>website</u>.


Date 2025 / 05 / 29 Page 1 of 2

# 產品图片



# GTX113945 WB Image


Human tissue extract (30  $\mu$ g) was separated by 7.5% SDS-PAGE, and the membrane was blotted with PAD4 antibody (GTX113945) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



## GTX113945 IHC-P Image

Immunohistochemical analysis of paraffin-embedded Cal27 xenograft, using PAD4(GTX113945) antibody at 1:100 dilution.

Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min




## GTX113945 IHC-P Image

PAD4 antibody detects PAD4 protein at cytoplasm on mouse ovary by immunohistochemical analysis. Sample: Paraffin-embedded mouse ovary.

PAD4 antibody (GTX113945) diluted at 1:500.

Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min



#### GTX113945 WB Image

Non-transfected (–) and transfected (+) 293T whole cell extracts (30  $\mu$ g) were separated by 7.5% SDS-PAGE, and the membrane was blotted with PAD4 antibody (GTX113945) diluted at 1:5000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 05 / 29 Page 2 of 2

€ 886-3-6208988 📻 886-3-6208989 🐷 infoasia@genetex.com